Approved For Release 2003/12/18 : CIA-RDP69B00041R000600080007-8 25X1 **Next 8 Page(s) In Document Exempt** 

	Adop	se 2003/12/18 :	CIA-P0P69B00041R00	0600080007-8		V
	OBŽŽ	Constitution and Chartest States and Laboratory and Chartest States and Chartest State	(XEBÔ)	# # # # # # # # # # # # # # # # # # #	Ó	92
	(SESS)		COB			
		Andrewskip as except Andrews (1974) of		i j	1921	
	# <b></b>	P SECRE	<u>T</u>			4
FROM: M1	ssion Coordinator		196			
SUBJECT:	Mission Alert No	tification				4 18
TO: (See	Below)					1 1 21
Request y	our attendance at	the Commande	r's Briefing to be			
in the Op	erations Briefing	Room on 15	Sep 1967	ueTd		
1215	_ L. The briefi	ng concerns +1	196 <u>7</u>	at		
l. Missio	on Code Name and	Nùmber. D	Y / 722			
2. Date/1	Time of Launch /	-Hount 1/ <	1 6122 1 0245 21 1145			
3. Ground	Spare (H+1:00):	-110ur): <u>/6 3e</u>	<u> </u>	<u> </u>		
1 4. Bases:	Takeoff_	76 361		<u> </u>		2
5. Equipm	ent required: 7	Staging	,Landing			2
1 /	required:	YPE I CAME	RA			
To 42.7	Snows B					
SAME	As Descara	ts: BACK U	P HCFT REQUIRE	ξ <u>Δ</u>		
	AS PARAGRAPH					
. Specia	Instructions/Co	mments: <u>Lau</u>	CH BACK UP ACA	<u></u>		
TO SEP	03452/12451	IF PRIMARY	ABORTS.			i i
FOR THE COM						- 1
Mission Coo						
Office Ti	me(L) Recipient	Office Ti	me(L) Recipient			÷
CMDR		DCOL				
DCM		DCOC/MC DCOMI				
SECUR FLT SURG		DCOW COMMO				
DCOM	- H	AFCS TTFC(SAC	(Notify Only) (Notify Only)			
					**	A
	TOP	SECRET				
				<b>東京公司第十</b> 个		
						- :1:-
	護装定性 利息な			The state of the s		

	Submit to addressees specified for report	25X1
25X1		
	A. BX-6722 (Operations Mission Number)	
	B. TYPE I CAMERA CONFIGURATION REPORT.	25×1
	C. IF //6 SEPT / 129 (Config./SN/Date Flown/Actt No./Pilot Pseudo. Example: 1/A/NOV 28/127	•
	D. (Total frames scheduled-fwd camera & aft camera).	_
	E. (Total frames completed-fwd camera & aft camera).	
	F. 34041 1253 1276-5-4-7. (Film type/box no./emulsion no. Example: 3401/1234/245-13-3-6).	
	G. 5.6/YELLOW, WRATTEN 12.	
	H. SUN ANGLES.	
	BEGINNING END	
	<u>73 °/ 70 °.</u>	
	72 % 69 %	
	0,	
	I. CAMERA ON CAMERA OFF (Date/Time ZULU. Example: 282118Z/282130Z).	
	16 405 21/6 423 Z.	
/	16 <u>521</u> 21/65 91 2.	
,	Z/ Z.	
	J. ELAPSED TIME (MINUTES)/EXPOSURE VALUE/V/H IN MR/SECONDS. EXAMPLE: 4/200/.039.	
	181170139.5 . CLOUD	
	20/190/39,9 · CLOUD	
	/	
	Approved For Release 2003/12/18 : CIA-RDP69B00041B000600080007-8	

25X1		CONT'D
	₩.	N/A.
		WEATHER. (General comment on weather during photo portions of mission).
		SCATTERED CLOUDS
	M.	TAKE DISPOSITION (Location, shipment, or action on material - date/time ZULU. Example: EK 290135Z or Area Security 290135Z).
		#6-1-7. 16 16 90 Z.
	N.	COMMENTS. (Include general remarks regarding configuration operation, malfunctions or mission problems).
	-	SYSTEM OFERATED HORMANY POST FLIGHT TEST
SHOW	ED	EXPOSURE PROGRAMMER TAPE DID NOT
		DOVE, THEREFORE EXPOSURE WAS PE
	2	240 INSTEAD OF /170 AND /190, OTHERWISE
		SYSTEM OPERATED NORMALLY.

RESERVED FOR COMM" CATION CENTER JOINTAMPSONGE FOR ARelease 2003/12/18: CIA-RDP69B00041R000600080007-8 SECURITY 18 022 67 03 38z INFO SPECIAL INSTRUCTIONS FROM: 1 SIG CEN TO: 1 CMDR 1 POL A. SPECIAL FUEL TEST REPORT (2 1/2 HOUR PRE-FLIGHT) BX 6722 B. 094 1230L/16 STRIP ALERT C. FUEL TESTED IN PARA B QUAL IAW SECT VII TEST CRITERIA RND OF MESSAGE DATE TIME 25**X**1 YEAR DOM COORD <u> 25X</u>1 PAGE NO. NO. OF TYPED NAME AND TITLE PHONE RE REGRADING INSTRUCTIONS <del>2003/12/18 . CIA-RDP89B00041R000800080007-8</del>

REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED.

# GPO 1966-188

25X1

DD FORM

25X1

25X1

	IDINT MESSABEFORED FO	RESERVED FOR COMMUNICATION CENTER  r Release 2003/12/18: CIA-RDP69B00041R000600080007-8
CURT	FIRE	15 52 0/ 04 35z
	BOOK MULTINE	
A		
TION	IMEDIATE	
0		DTG SPECIAL INSTRUCTION
25X1	1	1 SIG CAN
		1 CMDR
		DOM 1 OP
		1 POL
A. 8	IPECIAL FUEL TEST RE	PORT (POST REFUEL) BX 6722
B. 1	125 1050L/15	
2	103 1110L/15 3PA	RE .
	094 1120L/15 SPA	R <b>E</b>
	504 1130L/15	
	089 1140L/15	
	088 1150L/15	
	523 1205L/15	
Ç.	FUEL TESTED IN PARA	B QUAL IAW SECT VII TEST CRITERIA.
	1);	END OF MESSAGE
	-	
		25X1
		DATE TIME
		MONTH YEAR
		DON COORD:
25X	1	25X1PAGES
)	PED NAME AND TITLE	PHONE R E
		E A .
T E R		E R
SECURI	ITY CLASSEILATEN	REGRADING INSTRUCTIONS

DD FORM' 73 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

125 1850L/16 525 1900L/16 088 2325L/16 C. FUEL TESTED IN PARA B QUAL	IAW SECT VII TEST C	RITERIA.	
ENI	OF MESSAGE	,	
			DATE TIME

		CIA-RDP69B00041R0006	600080007-8
TYPE MSG	NGLE S	18 04z	
PRECEDENCE →			
ION ROUTINE			
	DTG		SPECIAL INSTRUCTION
5X1		,	1 SIG CEN 1 CMDR 1 DCM 1 POL
anonti puri muom uri	DOST (DOST DEFIER).	<u> </u>	
• SPECIAL FUEL TEST REI • 125 2000L/16	tour frost uproper		*
088 0035L/17		e enam anthonoti	
. FUEL TESTED IN PARA	B QUAL IAW SECT V	I TEST CRITERIA.	
	END OF MESSA	) E	
			l l
, ,			
•			
•			
			DATE TIME
•			DATE TIME
			DATE TIME MONTH YEAR
•			MONTH YEAR
			MONTH YEAR PAGE NO. NO. O
AND TITLE	PHONE	R SIGNATURE	MONTH YEAR PAGE NO. NO. O PAGE
TYPED NAME AND TITLE		Ê	MONTH YEAR PAGE NO. NO. O PAGE
TYPED NAME AND TITLE		E	MONTH YEAR PAGE NO. NO. O PAGE
TYPED NAME AND TITLE		E TYPE	MONTH YEAR PAGE NO. NO. O PAGE
TYPED NAME AND TITLE		E TYPE	MONTH YEAR PAGE NO. NO. O
TYPED NAME AND TITLE		E TYPE	MONTH YEAR

Ani	ABBREV' TED JOINT MESSAGEFORM proved For Charles Properties CIA RDP69	SECURITY CLASSIFICATION B00041RQ006Q0080007-8
PRECEDEN	NCE	
ACTION IMPEDIAT		HON
0)	HEATS IN THE COURT	
1		
		1 SIGCEN
		A CMOR /1/DOM
A. BX6722		LA DCO
B. INS TAPE R	EPORT .	
C. INS 010		<u></u>
D.		Rans Cons
E. SEE H		
F. SEE H		
		E.D
G. 67/09/16-02		СЛ С
H. INS DATA CO	OD. WILL HETAIN TAPE UNLESS OTHERWIS	N
	TALE UNLESS OTHERWIS	IF NOTIFIED
		E NOTIFIED.
	END OF MESSAGE	E NOTIFIED.
		E NOTIFIED.
	END OF MESSAGE	E NOTIFIED.
ONTROL NO.	TOR/TOD PAGE NO. OF MESSA	
	TOR/TOD PAGE NO. OF MESSA. NO. PAGES	


ABBREVI Approved For	ID JOINT MESSAGEI BAITAREA FROM/SAELE	T. CIA-PDP	24 4 2 7 1 2			
PRECEDENCE			AFTED E	YES	PHO	NE
ACTION ILMEDIATE			.,			
	FRO					25>
	To:					
					1 510	
A. BX 6722						M
B. TYPE I CAMERA CONFI	GURATION REPORT				1 DC	U
c. I(F)/16 SEP/129/						,
D. 1200/600/600	-					
E. 1200/600/600						
F. 3404/1253/276-5-4-7						
G. 5.6/YELLOW, WRATTEN	12					
н. 73/70						
72/ <del>69</del>						
I. 16405Z/16423Z						
165212/16541	Z					
J. 18/170/39.5/CLOUD						
20/190/39.9/CLOUD						
K. NA						
L. SCATTERED CLOUDS						
M. 1616402						
N. POSTFLIGHT TESTS SH	owed exposure fi	RCGRAMMER	TAPE DID N	OT MOVE, TH	EREFORE	
Exposure was 1/240 inst	EAD OF 1/170 AND	D 1/190, C	THERWISE S	rstem opera	TED	
NOIMALLY.						
END OF MES	SAGE				j	
	.*				. ,	
CONTROL NO. TOR	/TOD PAC		MESSAGE ID	ENTIFICATIO	N	INITIAL
REGRADING INSTRUCTIONS			SECURITY C	LASSIFICATE		

DD 1 FORM 173-1


25X1

25X1


25X1



REPLACES EDITION OF I MAY 55 WHICH MAY BE USED



Approved For Release 2003/12/18 : CIA-RDP69B00041R000600080007-8 25X1 Next 1 Page(s) In Document Exempt Approved For Release 2003/12/18 : CIA-RDP69B00041R000600080007-8



REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

Approved For Release 2003/12/18 : CIA-RI 69B00041R00060008	300 <u>07-8</u>	
Sept. (Sept.)		16B3X
(SESO) (SESO)	3193	
TOPSECRET		
FROM: Mission Coordinator 196		
SUBJECT: Mission Alert Notification		
TO: (See Below)		
Request your attendance at the Commander's Briefing to be he	ar swime of Arthough the State of the	
in the Operations Briefing Room on 15 SEP 196 7	at	
12/5 L. The briefing concerns the following:		
1. Mission Code Name and Number: BX 6722	-	
2. Date/Time of Launch (H-Hour): 16. SEP / 0245 Z/ //45	· 子·尔··克拉尔斯语的 医肾精膜的 化重	
3. Ground Spare (H+1:00): 16 Sep / 0345 Z/ /245 2 25X1 4. Bases: Takeoff Staging Landing	L.	25X1
4. Bases: Takeoff Staging, Landing  5. Equipment required: Type I Camera		25X
25X1		
6. Ground Spare Requirements: BACK UP ACFT REQUIRED		
SAME AS PARAGRAPH 5		
7. Special Instructions/Comments: LAUCH BACK UP ACFT		
16 SEP 03452/1245L IF PRIMARY ABORTS.		
FOR THE COMMANDER		
Mission Coordinator		
Office Time(L) Recipient Office Time(L) Recipient		-: 0
CMDR DCOL DCOC/MC		
DCM DCOMI DCOW		
SECUR COMMO FLT SURG AFCS (Notify Only)		
DCOM TTFC(SAC (Notify Only)		
TOPSECRET		
Approved For Release 2003/12/18 : CIA-RDP69B00041R00060008	30007-8	



AGOOD (ACEDO)

BX6722

## MISSION PILOTS ACTIVITY SCHEDULE FOR OPERATIONAL MISSION

H-HOUR TIME PRIMARY	LOCAL TIME PRIMARY	H-HOUR TIME SPARE	LOCAL TIME SPÄRE	ITEM	LOCATION
н -22:30	1315			Pre-Mission Physical Exam	Flt'Surg
H -21:30	1415			Eating	A/C Mess
H-20:30	1515			Recreation activities as scheduled	Selected . Area
H -18:00	1745			Intelligence Review	DCOMI
н -17:00	1845			Initial Brief & Recreation	DCO Brief Rm
H -14:00	2145			Eating	A/C Mess
H -13:00	2245			Crew Rest	Asgd House
H -4:00	0745			Wake/up Psychological Ck	Asgd House/ Crew Mess
H -3:30	0815			Final Briefing.	DCO Brief Rm
H -2:30	0915.			Breakfast	A/C Mess
H -1:20	1025	Н <b>∤:</b> 20	1025	Final Physical Evaluation	DCOL
Н -1:10	1035	н -:10	1/35	Suiting	DCOL
H:50	1055	H +:10	1155	Leave Ops	Transport Van
H -: 45	1100	H +:15	1200	Arrive Aircraft	Hangar
Н -:30	1115	H +:30	1215	Start Engine	Hangar
H -:20	1125,	H +:40	1225	Taxi	Aircraft
н -:05	1140	H +:55	1240	Trim Engine	Aircraft.
н -:00	1145	H +1:00	1245	Take Off	Aircraft
L +:25				Post Mission Physical	DCOL
L +:45				Ops Debrief	DCO Brief Rm
L +1:00				Mission Debrief	DCO Brief Rm
L +3:30				Released	

DHEN :	XERO.	·w		:	LOSSX,	(ô
				1		*BLACKSHIELD*
	TITLE	DUB LOA   Z	Tat	CUI	ACTION	REMARKS
V	Msn Alert Wx Fcst	<b>-</b> 25	X		WX	(Receive Daily)
	Airfield Status	Daily	a notation of the contract of	X	DCOC (Controll)	As of 0900L Filed in Folder
~	Tanker Msn Alert	-24 1145	x		SAC	
	Mission Alert	-24 1145	X		CMDR/DCO	
V	Ackd Receipt	ASAP	The state of the s	X	DCOC	
	Mission Plan Wx Requirement	-23 /245	. X		wx/dco	·
V	Opln Commo Data	-22 /245	X		COMMO/DCO	
V		-22 ·	Х			
	Tanker/Wx Scout Recall Word	-22 /345-	X		SAC/DCO	
	Mission Alert Confirmation	-21 1445		X	DCO	
V	Tanker Support Confirmation	-21 1445		X	SAC	
V	Msn Plan Wx Fcst	-21 1445	X		WX	
V	Forward Base Wx Forecast	-21 1445	_ x		WX	

Approved For Release 2003/12/18: CIA-RDP69B00041R000600080007-8 \*BIACKSHIELD\* 25X1 ACTION REMARKS TMOUT TITLE -20 As Req of Typhoon Deployment 25X1 COMMO 1545 DOOMP X Mission Plan #1 1745 -18 X INTEL Current Intel 1745 -17:30 WX Χ Msn Pln Wx Fcst 1815 -17:30 Wx Support DCOC Х Confirmation 1815 -17:15 Forward Base ΧW X Wx Forecast 1830 As of 1700 Local Daily DCM X Opln Capability As of 1700 Local Daily DCM χ Supt Acft Status **-1**5 25X1 DCOMP Probably X Mission Plan #2 2045 Probably DCOMP X Mission Plan #3 2045 **ILLEGIB** 25X1 Req B DCM-25X1 Sys Checkout NTL 1330Z GO-NO-GO Wx Χ WX Requirements SAC/WX Χ Tnkr Msn Wx Fcst 2145 pproved For Release 2003/12/18: CIA-RDP69B00041R000600080007-8
Tanker Msn Plan
X SAC Probably More Than 1 Msgs

Tanker Msn Plan

2245

				zakilosti li	rant di minimizationale antonomic transfer etc.	*BLICKSHIELD*
	TITLE	DUB Z	i IX	CUT	ACTION	REMARKS
	Final Option Selection	-6 0545	X		DCOM	
	Msn Alert Wx Fcst	-5 0645	X		WX	(Receive Daily)
V	Emerg Seat Pack	=5 = <b>6</b> 45	By the second of	X	SECURITY	
	Forward Base Wx Forecast	-3		X	WX	
	Met Watch Obs	0845		X	WX	
	Coord	-3 0845	X	A AMERICA OF THE PARTY OF THE P	DCO	
	GO-NO-GO Wx Forecast	-3 0845	X	and the same of th	WX	×
	Spl Fuel Test	-2:30		Х	DCM(POL)	
V	Coord	-2:30		X	DCO	Submit to Hqs
	Wx Scout Rpts	-2 0943	X	de til de transport de manifesti (de transport de l'	WX	Will be Received Continuous Until AR Areas Secured
	Airfield Status	Daily		X	DCOC (Controll)	As of 0900 Local Filed in Folder 2
	Tanker T/O Rpt	As Req		X	SAC	Continous Until all Tanker are Airborne
	GO-NO-GO Maga	1045	X	. of the same of the same of the same	DCO	

·		on the state of the section of the s	or was as some states	in de consegue	ings is the parameter of the control	WELLOKSHIELD*	4
1 market trains in	TITLE	DUE Z		cui	ACTION	REMARKS	i. www.sii
	Primary Take-off	-0		х	DCO		2
* .	Primary Abort	As Req		х	DCO	FLASH	
	Primary Abort	As Req		Х	DCO		_ 2
	Spare Take-off	As Req		х	DCO		polyment of
	Spare Take-off	As Req	The latter of the state of the	Х	DCO .		2
	Tanker Off-load Rpt	As Req	X		DCO/SAC	Continous Until All Fuel Off Loaded	
	Primary Landing	I,		X	DCO		Maria action
1	Primary Landing If Msn Completed)	L 	reprinted to the control of the	X	DCO		2
-	Spare Abort	As Req		X	DCO	FLASH	
1	Spare Abort  If Msn Cancelled)	As Req		X	DCO		2
	Spare Landing	L	and the second s	Х	DCO		
1 ,——	Spare Landing			X	DCO		
1		ASAP	The state of the s	X	СОММО		
	Approved For Relea	se 2003/12/18	- CIA-F	RDP	69B00041F	8000600080007-8	

\*SLACKSHINID\* 25X1 IN OUT ACTION REMARKS TITLE L Plus 2 DCO/CMDR X Msn Post Landing As Req Continuous Until all Χ SAC Tanker Landing Tankers Have Landed L Plus 3 Х DCM 25X1 Camera Config 835 L Plus 3 "EYES ONLY CMDR" INFO: DCO/DCOM X Mission Report 1835 ASAP DCM(POL) X Spl Fuel Test ASAP 25X1 Same as Nonop DCO χ Opnl Sortie Rpt 25X1 ASAP Via DCOMP Χ INS Tape ASAP ' χ SECURITY Take Progress L Plus 🔏 Final Field Eval Χ DCM Of INS Data 0135 ASAP DCOMP Χ Flash Process ASAP DCOMP Χ Film Evaluation ASAP DCOMP X INS Tape Eval L Plus 7 Days DCOMP INS Film Correle. 23/535

Approved For Release 2003/12/18 : CIA-RDP69B00041R000600080007-8